



# Incremental 3D Semantic Scene Graph Prediction from RGB Sequences

Shun-Cheng Wu<sup>1</sup> Keisuke Tateno<sup>2</sup> Nassir Navab<sup>1</sup> Federico Tombari<sup>1,2</sup>


<sup>1</sup>Technical University of Munich, <sup>2</sup>Google



# View-based Semantic Scene Graphs Generation (SSG)



frame-000006



frame-000018

**Relationship estimation is limited by the field of view**

**Lack of temporal consistency**




# 3D-based Semantic SSG




**Dense Geometry is not always available**

**Feature learning on unrealistic texture**

# Our method



# Our method




Method	Recall(%)			mRecall(%)		
	Rel.	Obj.	Pred.	Obj.	Pred.	
<b>GT</b>	IMP [66]	49.8	70.1	94.3	53.0	38.1
	VGfM [15]	49.3	69.4	94.8	57.5	44.6
	3DSSG [61]	34.6	58.0	95.2	46.8	58.7
	SGFN [64]	41.8	63.8	94.3	57.7	65.5
	Ours	<b>66.1</b>	<b>81.2</b>	<b>95.6</b>	<b>77.4</b>	<b>71.5</b>
<b>Dense</b>	IMP [66]	25.8	51.8	90.4	30.0	23.0
	VGfM [15]	28.3	53.3	<b>90.7</b>	31.6	24.4
	3DSSG [61]	17.5	41.4	88.2	31.9	26.6
	SGFN [64]	31.4	56.7	89.6	38.3	30.5
	Ours	<b>34.1</b>	<b>58.1</b>	89.9	<b>43.0</b>	<b>33.3</b>
<b>Sparse</b>	IMP [66]	7.9	27.5	90.7	20.6	14.0
	VGfM [15]	8.2	26.9	<b>90.8</b>	17.6	15.4
	3DSSG [61]	0.9	9.7	87.9	5.9	15.1
	SGFN [64]	1.7	12.6	88.9	8.3	14.4
	Ours	9.9	29.5	90.4	23.5	<b>16.5</b>
	Ours (i)	<b>10.7</b>	<b>30.2</b>	90.4	<b>24.5</b>	15.9

With fewer labels & predicates

Method	Recall(%)			mRecall(%)	
	Rel.	Obj.	Pred.	Obj.	Pred.
IMP [66]	44.5	35.9	9.0	18.7	4.9
VGfM [15]	44.5	37.9	14.7	17.9	6.5
3DSSG [61]	46.8	29.6	<b>68.8</b>	11.7	<b>25.5</b>
SGFN [64]	45.2	29.4	42.8	11.8	13.5
Ours	<b>52.7</b>	<b>56.7</b>	50.4	<b>27.2</b>	23.9

With fine-grained labels




TUE-PM-088

ID: 5050


Thanks for watching.  
Check out our poster and paper!



Shun-Cheng Wu



Keisuke Tateno






Nassir Navab




Federico Tombari

# Our method




# Semantic Scene Graphs




Node

# Semantic Scene Graphs




# Semantic Scene Graphs




# View-based Semantic Scene Graphs Generation (SSG)

**Estimated scene graphs lacking temporal consistency!**



**The relationship between table and sofa cannot be estimated!**

# View-based SSG + Temporal consistency



**Relationship estimation is limited by the field of view**


# 3D-based Semantic SSG



**Dense Geometry is not always available**

**Feature learning on unrealistic texture**




# Direct estimation from 3D geometry




**Node feature from 2D**

**Edge feature from 3D**


# Our idea




### Incremental Entity Estimation




### Semantic Scene Graph Prediction




### Incremental Entity Estimation




### Semantic Scene Graph Prediction




### Message Passing





### SSG Prediction




### Fusion






### Incremental Entity Estimation



### Semantic Scene Graph Prediction





TUE-PM-088

ID: 5050


Thanks for watching.  
Check out our poster and paper!



Shun-Cheng Wu



Keisuke Tateno



Nassir Navab



Federico Tombari